

Work Order ID 163793

Monday, July 10, 2017 11:52:30 AM

163793

Page 1

Item ID: D2934 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle Spacer
 Start Date: 7/24/2017 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 7/26/2017 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: **DAS** Date: Tooling: Date: Run Start ***NR1***
 QC: **21** Date: **JUL 12 2017** SPC (Y/N): Date: Stop ***NR2***
9-89

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2934	Rev B

100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.24							
FLOW CNC Waterjet	1-Cut as per Dwg D2934 Dwg Rev: B Prog Rev: B 2- Deburr if necessary								

110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.12							
Quality Control									

120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.24							
Quality Control									

12 **Sc 17/07/14**

12 **Sc 17/07/14**

12 **DAS 45 9-89** **DAS 38 9-89** **JUL 17 2017**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																																																																																																																											
Date :		Step #:			QTY Effective :				MRB (QSI042) Approval																																																																																																																																																						
Description Work Order Deviation					Disposition					Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																																																																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: left;">Root Cause</th> <th colspan="8" style="text-align: left;">FAULT CATEGORY</th> </tr> </thead> <tbody> <tr> <td>Environment</td><td>☐</td><td>☐</td><td>No Re-verification</td> <td>☐</td> <td>Pressure/Forced</td> <td>☐</td> <td>Temperature/Cure</td> <td>☐</td> <td>Power Loss/Surge</td> <td>☐</td> <td>Positioned Wrong</td> </tr> <tr> <td>Design</td><td>☐</td><td>☐</td><td>Operator</td> <td>☐</td> <td>Bending</td> <td>☐</td> <td>Set-up</td> <td>☐</td> <td>Folio/Program</td> <td>☐</td> <td>Outside Dimensions</td> </tr> <tr> <td>Doc/Data</td><td>☐</td><td>☐</td><td>Offset/Setup</td> <td>☐</td> <td>Centre Not Concentric</td> <td>☐</td> <td>BOM/Route</td> <td>☐</td> <td>Grain</td> <td>☐</td> <td>Over/Under tolerance</td> </tr> <tr> <td>Equip/Tooling</td><td>☐</td><td>☐</td><td>Supplier</td> <td>☐</td> <td>Cracks</td> <td>☐</td> <td>Broken/Damage/Defect</td> <td>☐</td> <td>Weld</td> <td>☐</td> <td>Part Incorrect</td> </tr> <tr> <td>Handling/Pre</td><td>☐</td><td>☐</td><td>Training</td> <td>☐</td> <td>Crimp/Kink/Ripple/Wave</td> <td>☐</td> <td>Inspection Incomplete/Unqualified</td> <td>☐</td> <td>Wrong Stock Pulled</td> <td>☐</td> <td>Part Lost/Missing</td> </tr> <tr> <td>Material</td><td>☐</td><td>☐</td><td>Use for Testing</td> <td>☐</td> <td>Cuffs</td> <td>☐</td> <td>Contamination</td> <td>☐</td> <td>Out of Sequence</td> <td>☐</td> <td>Part Moved</td> </tr> <tr> <td>Internal Transport</td><td>☐</td><td>☐</td><td>Poor Information</td> <td>☐</td> <td>Crushing</td> <td>☐</td> <td>Countersink</td> <td>☐</td> <td>Off-set</td> <td>☐</td> <td>Drawing</td> </tr> <tr> <td>Tribal Knowledge</td><td>☐</td><td>☐</td><td>Rushing</td> <td>☐</td> <td>Heat Treat</td> <td>☐</td> <td>Cut Too Short</td> <td>☐</td> <td>Mislabeled</td> <td>☐</td> <td>Finish</td> </tr> <tr> <td>LOA</td><td>☐</td><td>☐</td><td>Product Improvement</td> <td>☐</td> <td>Wave/Twist in Tube</td> <td>☐</td> <td>Instructions Incomplete/Unclear</td> <td>☐</td> <td>Fit/Function</td> <td>☐</td> <td>Misread</td> </tr> <tr> <td>Substation</td><td>☐</td><td>☐</td><td>Process Improvement</td> <td>☐</td> <td>Marks/Chatter</td> <td>☐</td> <td>Drill Holes</td> <td>☐</td> <td>Misaligned/off center</td> <td>☐</td> <td>Turning Sequence</td> </tr> <tr> <td>Past Expiry Date</td><td>☐</td><td>☐</td><td>Manufacturing Process</td> <td colspan="8" rowspan="2" style="vertical-align: top;">OTHER :</td> </tr> <tr> <td>Misidentified</td><td>☐</td><td>☐</td><td>Past Due</td> </tr> </tbody> </table>												Root Cause				FAULT CATEGORY								Environment	☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	Design	☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	Doc/Data	☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	Equip/Tooling	☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	Handling/Pre	☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	Material	☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	Internal Transport	☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	Tribal Knowledge	☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	LOA	☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	Substation	☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	Past Expiry Date	☐	☐	Manufacturing Process	OTHER :								Misidentified	☐	☐	Past Due
Root Cause				FAULT CATEGORY																																																																																																																																																											
Environment	☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong																																																																																																																																																				
Design	☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions																																																																																																																																																				
Doc/Data	☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance																																																																																																																																																				
Equip/Tooling	☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect																																																																																																																																																				
Handling/Pre	☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing																																																																																																																																																				
Material	☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved																																																																																																																																																				
Internal Transport	☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing																																																																																																																																																				
Tribal Knowledge	☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish																																																																																																																																																				
LOA	☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread																																																																																																																																																				
Substation	☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence																																																																																																																																																				
Past Expiry Date	☐	☐	Manufacturing Process	OTHER :																																																																																																																																																											
Misidentified	☐	☐	Past Due																																																																																																																																																												

Work Order ID 163793

Monday, July 10, 2017 11:52:30 AM

163793

Page 3

Item ID: D2934 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle Spacer
Start Date: 7/24/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 7/26/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	1.20							
Quality Control									

DAS
21
9-89
JUL 24 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Monday, July 10, 2017 11:52:28 AM

Page 1

Work Order ID: 163793

163793

Parent Item: D2934

D2934

Parent Item Name: Saddle Spacer

Start Date: 7/24/2017

Required Date: 7/26/2017

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP A00.06.06New IssueEC
IPP Rev:B Now 6061-T6 06-06-23 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6S.080		Purchased	No			100	sf	28.6500	0.0318	0.401684			

M6061T6S 080

6061-T6 .080 Sheet

**

SC 17/07/14

Location

Loc Qty

Loc Code

MAT020

28.65

m136342

27.35

m136632

0.3

m137513

1

9.5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER :							
Misidentified	☐	Past Due	☐								

DART

DESIGN <i>TH</i>	DRAWN BY <i>CB</i>	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED <i>PH</i>	APPROVED <i>TH</i>	DRAWING NO. D2934	REV. B SHEET 1 OF 1
DATE 06.05.29		TITLE SADDLE SPACER	SCALE 1:1
A	99.11.02	NEW ISSUE	
B	06.05.29	ADD 6061-T6 MATERIAL	



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 163743 M5
170712

RELEASED06.06.20 *TH***NOTES:**

- 1) MATERIAL: 6061-T6 (PER QQ-A-250/11 OR AMS 4025 OR AMS 4027) 0.080" THICK (REF DART SPEC M6061T6S.080) OR 5052-H32/H34 (PER QQ-A-250/8 OR AMS 4016) 0.080" THICK (REF DART SPEC M5052H32S.080)
- 2) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 5) ALL DIMENSIONS ARE IN INCHES

Copyright © 1999 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.